Simpex Electronic AG Binzackerstrasse 33 CH-8622 Wetzikon Telefon +41-44-931 10 40 Telefax +41-44-931 10 41

www.simpex.ch contact@simpex.ch CHE-108.018.777 MWST



POINT OF SALE SOLUTIONS

POS Systems POS Printers Fiscal Devices







TABLE OF CONTENTS

FLY	3
VISION15 HT15	4
IR15 VT15	5
GO15 QT15	6
FUSION	7
TABLET POS T-TEN	8
QT10 BIGII TOUCH PC TURBO	9
КЗ	10
KUBE II Q3X	11
MOBILE PRINTERS	12
K3 F	13
KUBE II F Q3XF	14
VKP80III F BIG 3 TOUCH	15
BIG 3 RED/WHITE/BLACK	16
JSMART MAX.COM	17
CHS100 MICROPLAYER	18
ACCESSORIES	

15.6" TRUE FLAT MULTI-TOUCH PC P

- Unique and unmistakable design
- Sturdy machined from solid aluminium structure
- 15.6" wide ultra-thin screen
- Capacitive multi-touch with LED technology
- · You can place the monitor in three different ways (left, right, center)
- Available in black and silver
- Size (printer excluded): 456mm(L) x 278mm(D) x 328mm(H)



Available versions: • Fly with i3 1.7 GHz processor

Operating System Windows POS Ready 7 and compatible with up to Windows 10





VISION15 HSC 15" TRUE FLAT TOUC

- · Fashion design
- 15" True Flat ELO touch screen
- Backlit monitor with LED technology
- · SSD (Solid State Disk) SATA hard disk
- · Sturdy aluminium structure
- · Available in black and white
- Size (printer excluded): 361mm(L) x 248mm(D) x 337mm(H PT4 paintop management through CUSTOM ECR SW (only for VISION15 standard))
- Accessories:
- Dallas key
- 2x20 LCD backlit display 8.4" or 9.7" VGA monitor
- Triple track badge reader

Available versions:

- Vision15 with Celeron J1900 2.0GHz fanless processor
 Vision15 i5 with Intel Haswell i5 4570S 2.9GHz processor and True Flat Project Capacitive touch screen
 Version with embedded CUSTOM ECR SW

Operating system: Windows POS Ready 7



15" TRUE FLAT TOUCH SCREEN

- Fashion design
- · 15" True Flat touch screen (zero bezel)
- Backlit monitor with LED technology
- Fanless
- · SSD (Solid State Disk) SATA hard disk
- · Main board and disk embedded in the base
- Easy maintenance
- Aluminium structure
- · Size (printer excluded):
- 364mm(L) x 210mm(D) x 370mm(H)
- PT4 palmtop management through CUSTOM ECR SW

Accessories:

- Dallas key 2x20 LCD backlit display 15" VGA monitor
- Triple track badge reader

Available versions:

- Celeron J1900 2.42GHz fanless processor - Version with embedded CUSTOM ECR SW

Operating system: Windows POS Ready 7









- 15" infrared touch screen
- TFT LCD Monitor
- · IP65 protection grade against dust and water Fanless
- · SSD (Solid State Disk) 32 GB extractable
- · Totally built in stainless steel
- Black colour
- · Easy access to the hard disk for a simple maintenance
- · Ideal also as Panel PC solution
- · Size (printer excluded): 386mm(L) x 250mm(D) x 370mm(H)

Accessories:

- Embedded customer display

Operative system Windows POS READY 2009 or 7







15" TOUCH SCF

- · 15" resistive touch screen
- · Backlit monitor with LED technology
- Fanless
- · SSD (Solid State Disk) SATA hard disk
- Intel Cedarview D2550 Dual Core 1.86GHz Processor
- · Easy access to the disk to make maintenance easier
- · Size (printer excluded): 365mm(L) x 296mm(D) x 282mm(H)
- PT4 palmtop management through CUSTOM ECR SW


Available version with embedded CUSTOM ECR SW

Operating system: Windows POS Ready 2009 or 7

Accessories: - 2x20 LCD backlit display

- 8.4" VGA monitor











- 15" Touch Screen True Flat resistive Monitor with LED technology
- · Operational and compact
- Celeron 1037U Dual Core Processor (1.80 GHz), 2GB DDR3 RAM
- 32GB SSD (Solid State Disk) hard disk • Size (printer excluded):
- 370mm(L) x 360mm(D) x 280mm(H)
- PT4 palmtop management through CUSTOM ECR SW

Accessories:

- 15" second display
- Magnetic cards reader









QT15 PC POS TOUCH SCREEN 15" "FLAT"

- "All in one" PC POS
- Elegant, functional and compact
- 15" touch screen
- SSD (Solid State Disk) SATA hard disk
- Embedded chip card reader
- Embedded LCD customer display
- Magnetic pen
- Size (printer excluded): 400mm(L) x 350mm(D) x 150mm(H)

Available versions:

- QT15 Turbo S with Intel ATOM D2550 1.86 GHz processor
- Version with embedded CUSTOM ECR SW

Operating system: Windows POS Ready 7



10" ALL-IN-ONE POS SYSTEM WITH BUILT-IN PRINTER

- · Futuristic design, elegant and compact
- 10" Touch screen with Project Capacitive technology
- 10" WXGA LVDS monitor in vertical position
- Built-in 80mm printer with autocutter
- Built-in LCD 2x20 characters customer display

Available versions:

- Fusion PC with Intel Atom Cedarview D2550 Dual Core 1.86GHz processor, 2GB DDR3 RAM, SATA SSD 16GB Hard disk
- Fusion Android/Linux with Dual Core Freescale iMX6 ARM Cortex-A9 1GHz Processor, Neon, VFPv3 and Trustzone, 1 GB DDR3 RAM, 8GB Module Emmc Flash
- · Version with embedded CUSTOM ECR SW available



Accessories:

- MSR reader
- Dallas key
- Palmtop for hospitality



PT4 4" Palmtop

Available for Android, Windows and Linux









- · Elegant and modern design
- PC POS system with Tablet WI-FI connected
- Latest generation powerful processor
- 58mm embedded printer with easy paper loading
- RS232+USB+ETHERNET+WI-FI
- · Embedded WI-FI module with access point
- 2x20 embedded backlit LCD display
- Docking station for Android tablets and iPads
- Available fiscal version with electronic journal on SD

Connectable peripherals: Q3X, KUBEII, K3 Ethernet or WI-FI versions





OUCH SCREEN C

- · 10" touch screen cash register
- LED technology monitor
- Freescale IMX25
- 2GB RAM
- · Graphic customer display
- Available in glossy black
- · Ergonomic and innovative design
- Resistive 5 wires touch screen
- · Powerful and versatile
- Chip card reader

Accessories:

- Dallas key

Special "Retail and Hospitality" embedded software





wifi

QT10 10'' "FLAT" TOUCH SCREEN PC POS

- "All in one" PC POS
- 10" LED technology monitor
- Powerful and versatile
- SSD (solid state disk) SATA hard disk
- Embedded chip card reader
- Embedded LCD customer display
- Magnetic penSize (printer excluded):
- 254mm(L) x 308mm(D) x 143mm(H)




Available versions: • QT10 TURBO S with Intel ATOM D2550 1.86GHz processor

Operating system: Windows POS Ready 7





BIG II TOUCH PC TURBO 7" TOUCH SCREEN PC POS



- 7" LED technology monitor
- Ergonomic and innovative design
- · SSD (solid state disk) SATA hard disk
- Embedded LCD customer display
- Embedded triple track magnetic card reader
- Embedded 58mm printer with easy paper loading
- Size: 400mm(L) x 350mm(D) x 150mm(H)



Operating system: Windows POS Ready 7









- Invoices/receipts, kitchen orders and labels printer
- Paper width 80, 60, 58mm (adjustable with the included adapter)
- External paper roll diameter max. 100mm
- Powerful and fast: 280mm/sec
- 200dpi resolution, optional 300dpi
- RS232+USB+Ethernet+Cash drawer port (optional WI-FI or Bluetooth)
- Autocutter 2.000.000 cuts
- MTBF printing head: 200Km
 1D&2D barcodes printing (QRCODE,
- DATAMATRIX, PDF417, AZTEC)
- International True fonts
- Vertical mounting
- Size: 206mm(L) x 148mm(D) x 140mm(H)

Exclusive features:

- · Automatic cover opening when paper ends
- · Easy access to the parts which need ordinary maintenance
- Cables retention system
- Fan-fold management
- Touch keys: feed, cover opening; ON/OFF button
- · Warning of technical assistance request through LED
- Buzzer

Autoinstalling drivers (Windows WHQL certified):


WindowsTM XP, 2K3, W7, W8 (+64bit support), W10, Linux (32/64 bit), OPOS, JavaPOS, MAC OSX, Vista.

It prints from Apple devices (iPad, iPhone, iPodTouch), Android and Windows Phone. Virtual COM and CePrinterSet.

Options:

• Embedded WI-FI or Bluetooth module

· Verinotch: black mark mobile sensor





😵 Bluetooth







- · Invoices/receipts and kitchen orders printer
- Paper width 80/82.5mm
- External paper roll max. 90mm
- Printing speed: 250mm/sec
- 200dpi resolution
- RS232+USB/Ethernet
- Autocutter 2.000.000 cuts
- MTBF printing head: 200Km
- 1D&2D barcodes printing (PDF417)
- International True Type fonts
- · Embedded web server for real time programming and functions monitoring for the Ethernet version
- Vertical mounting
- Size: 209mm(L) x 140mm(D) x 152mm(H)
- Autoinstalling drivers (Windows WHQL):

WindowsTM XP, 2K3, W7, W8 (+64bit support), W10, Linux (32/64 bit), OPOS, JavaPOS, MAC OSX, Vista. It prints from Android, iOS and Windows Phone. Virtual COM and CePrinterSet



Options:

- Embedded WI-FI module
- "Splash proof" protection cover









available

- · Invoices/receipts and kitchen orders printers
- Paper width 80mm
- External paper roll max. 80mm
- · Printing speed: 150mm/sec
- 200dpi resolution
- RS232+USB
- Autocutter (with partial cut) 1.000.000 cuts
- 1D&2D barcodes printing (PDF417)
- · Black mark management for auto-alignment (receipts/invoices)
- Available in glossy black and white
- · Coloured blinking LED button
- Size: 140mm(L) x 150mm(D) x 117mm(H)

Autoinstalling drivers:

WindowsTM XP, 2K3, W7, W8 (+64bit support), W10, Linux (32/64 bit), OPOS, MAC OSX, Vista. It prints from Android devices, iOS and Windows Phone.

Options

· Embedded WI-FI and Bluetooth module







MOBILE PRINTERS MY PRINTER A MOBILE PRINTER

- Best of breed Italian design
- Very light, slim and compact
- Ready to work with Android, iOS and WP8
- Bluetooth® wireless technology
 High autonomy: 30mt of printed paper
- High autonomy, some of printed pape
 Weigh: 205gr
- Size: 110mm(L) x 85mm(W) x 45mm(H)









iPhone iPad

🚯 Bluetooth®





MY3A MOBILE PRINTER

😵 Bluetooth®

- "Rugged" 76 mm mobile printer
- Light, small and handy
- · All-in-one product: iOS, Android, WP8
- Outdoor usage, wide operating temperature range
- Bluetooth® wireless technology
- · Compatible with Apple devices: iPhone, iPad
- High autonomy: 8 hours and 750 receipts -100mm Li-Ion rechargeable battery
- Paper thickness: from 61 to 100 μm
- IP42 Protection
- Weight: 233gr (without battery)
- Size: 105mm(L) x 135mm(W) x 61mm(H)







- Paper width 80mm
- External paper roll max. 100mm
- Powerful and fast: 280mm/sec
- RS232+USB+ETHERNET
- Autocutter 2.000.000 cuts
- MTBF printing head: 200Km
- Vertical mounting
- Drawer connector
- Electronic journal on MMC/SD
- Size: 206mm(L) x 148mm(D) x 140mm(H)
- · Fiscal, financial, statistical and historical reports
- Customizable receipt's graphic and promotional coupons printing
- · Windows, OPOS, JavaPOS and POS.net drivers

Exclusive features:

- Automatic cover opening when the roll ends
- · Easy access to the parts subject to normal maintenance
- Cable retention kit
- · Touch feed keys, cover opening, ON/OFF button
- · LED signal for technical assistance
- Buzzer

Fiscal RX Configurator: Self-installing software tool that allows the complete programming of the printer with data saving and reactivation through PC, in addition to the keyboard customization and the graphic logos' transferring. Valid for Windows operating system.

Options:

- Embedded WI-FI or Bluetooth module
- Version with embedded customer display
- KB30 keyboard







- Paper width 80/82.5mm
- Paper roll max. 90mm
- Printing speed: 250mm/sec
- RS232+USB/RS232+ETHERNET
- Autocutter 2.000.000 cuts
- MTBF printing head: 200Km
- Vertical mounting
- Electronic journal on MMC/SD
- Size: 209mm(L) x 140mm(D) x 152mm(H)
- Embedded web server with reports and data sending by email (for the Ethernet version)
- Approved for invoice printing on receipt
- Approved for negative receipt (change practice)
- Internal SQL database
- Fiscal, financial, statistical and historical reports
- Customizable receipt graphics and promotional coupons printing
- Windows, OPOS, JavaPOS and POS.net drivers

Fiscal Suite: self-installing software package that can be updated remotely via internet. It allows targeted analysis of the data in the DGFE, the programming of graphics and logos on the receipts, the keyboard programming from the PC.





- Paper width 80mm
- Paper roll max. 80mm
- Printing speed: 160mm/sec
- RS232+USB/RS232+ETHERNET
- · Autocutter with partial cut
- Electronic journal on SD
- Available in glossy white and black
- Size: 140mm(L) x 150mm(D) x 117mm(H)
- Serial version: 2 serial ports, 2 USB ports and 1 cash drawer port
- · Approved for invoice printing on receipt
- Approved for negative receipt (change practice)
 Ethernet version: 1 period part, 2 USP parts
- Ethernet version: 1 serial port, 2 USB ports, 1 Ethernet port and 1 cash drawer port
- Fiscal, financial, statistical and historical reports
- Customizable receipt graphics and promotional coupons printing
- · Windows, OPOS, JavaPOS and POS.net drivers

Fiscal RX Configurator: elf-installing software tool that allows the complete programming of the printer with data saving and reactivation through PC, in addition to the keyboard customization and the graphic logos' transferring. Valid for Windows operating system.





VUBE







- · Brand new kiosk fiscal printer, specifically designed for self-service applications
- · 200dpi high printing quality
- · 80mm paper width
- Speed > 200 mm/sec
- Ejection&Retract (speed>1000 mm/s)
- Paper roll (diameter 150mm) and fan-fold (450 tickets)
- Multi-position paper roll (3 positions for each side)
- · High reliability and sturdiness
- RS232 + USB 2.0 full speed + Ethernet interfaces
- · Printable barcodes: UPC-A. UPC-E, EAN13, EAN8, CODE39, ITF, CODE128, PDF417, QRCODE, GS1-DATABAR
- Long lasting printing head (150 Km)
- Highly reliable cutter: > 1.000.000 cuts



BIG 3 TOUC

- 7" LED technology monitor
- · Embedded LCD customer and operator displays
- Embedded 58mm printer with easy paper loading
- Electronic journal on SD
- Size: 248mm (L)x246mm (D)x123mm (H)
- 5 work pages with many pre-programmable items and PLUs
- Monitor preview of receipt or electronic journal
 View of sales statistical charts per category and time slots
- Reports and data by email
 Approved for invoice printing on receipt
- Approved for negative receipt (change practice)
- Internal SQL database
- Customizable receipt graphics
- Windows, OPOS, JavaPOS, POS.net drivers
- Games and utilities available
- Fitted for EFT/POS connection for electronic payments (eg. credit cards)

Fiscal suite: self-installing software package that can be updated remotely via internet. It allows targeted analysis of the data in the DGFE, the programming of graphics and logos on the receipts, the keyboard programming from the PC.









- · Online (Ethernet) cash register
- · 42 keys alphanumeric embedded keyboard
- Embedded LCD customer and operator displays
- Embedded 58mm printer with easy paper loading
- Electronic journal on SD
- Size: 248mm x 246mm x 100mm
- · Reports and data sending by email
- Approved for invoice printing on receipt
- Approved for negative receipt (change practice)
- Internal SQL database
- Fiscal, financial, statistical and historical reports
- Customizable receipt graphics
- Windows, OPOS, JavaPOS and POS.net drivers
- · Fitted for EFT/POS connection for electronic payments (eg. credit cards)
- 6V cash drawer

Fiscal Suite: self-installing software package that can be updated remotely via internet. It allows targeted analysis of the data in the DGFE, the programming of graphics and logos on the receipts, the keyboard programming from the PC.





RED/WHITE/BLACK

- 42 keys alphanumeric embedded keyboard
- · Embedded LCD customer and operator displays
- · Embedded 58mm printer with easy paper loading
- Electronic journal on MMC/SD
- Size: 248mmx246mmx100mm
- · Approved for invoice printing on receipt
- · Approved for negative receipt (change practice)
- · Fiscal, financial, statistical and historical reports
- Customizable receipt graphics



Fiscal RX Configurator: Self-installing software tool that allows the complete programming of the printer with data saving and reactivation through PC, in addition to the keyboard customization and the graphic logos' transferring. Valid for Windows operating system.









- For street vendors and shops
- 29 keys water proof keyboard
- Embedded LCD customer and operator displays
- Internal 7.4v 1500mAh Lithium rechargeable battery
- Autonomy: 20.000 printable lines (about 1.200 receipts)
- Stand-by function for energy saving
- Battery power supply
- Operating temperature from -10°C to +45°C
- Electronic journal on MMC/SD
- Size: 114mm x 216mm
- 58mm embedded printer with easy paper loading
- · Approved for negative receipt (change practice)
- Customizable receipt graphics

Fiscal RX Configurator: Self-installing software tool that allows the complete programming of the printer with data saving and reactivation through PC, in addition to the keyboard customization and the graphic logos' transferring. Valid for Windows operating system.







Available KSMART with GPRS embedded

MAX.COM

- · Online (Ethernet) cash register
- Automatic receipt cut and half-cut
- 56 keys alphanumeric embedded keyboard
- High visibility maxi display: embedded LCD customer and operator displays
- Embedded 60mm printer with easy paper loading
- Printing speed: 180mm/sec
- Electronic journal on MMC/SD
- · Available in glossy black and white
- Size: 349mm x 345mm x 147mm
- · Embedded web server with reports and data sending by email
- · Approved for invoice printing on receipt
- Internal SQL database
- · Fiscal, financial, statistical and historical reports
- Customizable receipt graphics
- · Windows, OPOS, JavaPOS and POS.net drivers

Fiscal Suite: self-installing software package that can be updated remotely via internet. It allows targeted analysis of the data in the DGFE, the programming of graphics and logos on the receipts, the keyboard programming from the PC.









- Safe money handling, not visible and not accessible
- Proceeds sureness
- Fake bills and coins check
- Total removal of shortage due to calculation mistakes
- Transactions recording with always perfect cash balancing
- · LED managed bills and coins input system
- Coins automatic acceptor handling up to 2 cent
 Money protection with internal safety drawers system
- Bills and coins deposit inside key locked and replaceable boxes
- Hygiene warranty for the staff, who does not touch money
- Possible drawer fastening to the counter
- Ergonomic design, it can be easily integrated into the cash counter
- Interconnectable with any POS software compatible with Windows operating system
- Weight: 30 Kg.
- Size: 32.5cm(L) x 37.5cm(W) x 47.5cm(H)













- Ultra-compact: only 140x130mm
- · Easy to install
- Possibility of wall-fixing
- Reliable: 24hrs/day
- · Ready to use: auto turning on and turning off
- Stand alone mode: server not needed
- Fanless
- Low consumption

Playlist Manager Software

- · Remote management: change your contents wherever you are!
- · Easy contents updating
- · Easy playlist management
- Playlist agenda to plan the contents
- Scrolling messages texts/RSS
- Streaming, web pages, pictures, videos
- Player configuration
















POINT OF SALE ACCESSORIES

- · Professional shock-resistant palmtop
- · Radio-frequency protected network connection
- · Integrated long-life lithium battery
- · Ideal for the order collecting at the customer's table
- · Simple and intuitive
- · Big touch screen colour display
- Touch & Write and Touch Planner systems
- Swiveling display (horizontal or vertical)
- · Operator automatic identification and
- customer's management
- · Automatic switching off sensor · Bidirectional communication





4" PAI MTOP





KUBE K35

KUBE K24





KEYBOARD<u>S</u>

KUBE K60

CUSTOMER DISPLAYS

XD



QD





KUBE D

BIG metal drawer dim. 330x90x330mm





TOP metal drawer dim. 410x100x415mm





CUSTOM S.p.A.

Operations and R&D Via Berettine, 2 43010 Fontevivo, Parma ITALY Tel. +39 0521 680111 Fax +39 0521 610701 info@custom.biz www.custom.biz

Company Management Via Enrico Fermi, 4 43010 Castelguelfo, Parma ITALY

Logistics Hub Via Lisbona, 5 43010 Interporto di Fontevivo, Parma ITALY

Sales and Service Network

Europe

CUSTOM MILAN Via Tognasca, 7 21013 Gallarate, **Varese** ITALY Tel. +39 0331 706890 Fax +39 0331 706891

CUSTOM TREVISO Via Callalta, 31/E 31100 **Treviso**, ITALY Tel. +39 0422 363335 Fax +39 0422 363371

CUSTOM GmbH Bleidenstrasse 6-10 60311 **Frankfurt am Main**, GERMANY Tel. +49 (0) 176 668 49005 Fax + 49 69 297238899

CUSTOM STIMARE UK & IRELAND 4 Bramber Court Bramber Road, **London** W14 9PW UNITED KINGDOM Tel. +44 208 0998071

Units 5 & 6 Ballyw altrin Business Park Boghall Road Bray Co. **Wicklow I**RELAND Tel. +353 14429320 Fax +353 12761816

CUSTOM RUSSIA CIS & BALTIC 20, bldg.36, 1st Graivoronovskiy st.109518 **Moscow** RUSSIA Tel. +7 495 956 9336 Fax +7 495 956 9336

Middle East

CUSTOM UAE Office 105, AI Husn Tower, King Faisal Street Sharjah, U.A.E. T +971 6 550 6821

Americas

CUSTOM AMERICA Inc. 12 Creek Parkway, Suite 100 **Boothwyn**, PA 19061 USA Tel +1 302 384 6931 Fax +1 302 691 5770

CUSTOM ARGENTINA Av. Del Libertador 18.025 - 1643 Beccar, P.cia **Buenos Aires** ARGENTINA Tel. +54 11 53539841 Fax +54 11 53539841

CUSTOM NITERE BRASIL Rodovia Br-459, km 124.1 - Distrito Industrial, **Santa Rita do Sapucai**, MG-CEP 037540-000 BRAZIL Tel. +55 35 3471 0500 Fax +55 35 3471 0500

Rua Joao de Souza dias, 316 - Campo Belo, **Sao Paulo**, SP-CEP 04618-001 - BRAZIL Tel. +55 11 2384 9984 Fax +55 11 2384 9984 Asia Pacific CUSTOM INDIA 117, Midas, Sahar Plaza Andheri Kurla Road, Andheri East Mumbai 400059 INDIA Tel. +919870137778

CUSTOM HANINDO CHINA Room 3204 -3205, Tower B, City Center, No. 100 Zunyi Rd, Changning district, **Shanghai**, CHINA Tel. +86 21 6237 0600 Fax +86 21 6237 0598

Room 1005 -1006 Haosheng plaza, No. 68 Dongbin Rd, Nanshan district, **Shenzhen**, CHINA Tel. +86 755 8659 9823 Fax +86 755 8665 2653

Room 612, Tower 6, Guan Lu Yuan Zhong Li, Chaoyang district, **Beijing**, CHINA Tel: +86 10 6544 7307 Fax: +86 10 6544 7307

CUSTOM HANINDO SEA JI. Fatmawati Raya No. 55, **Jakarta** Selatan 12410 INDONESIA Tel. +62 21 7590 0909 Fax +62 21 759 00 808

CUSTOM HANINDO PHILIPPINES 900A Vicente Madrigal Bldg. 6793 Ayala Ave. **Makati City**, PHILIPPINES 1226 Tel: (63 2)-844 5480

CUSTOM HANINDO THAILAND Nirvana@Work Kaset-Nawamin 343/7-8 Moo 9 Klongkum Bungkum Bangkok 10230, THAILAND Tel. +66 (0) 2-106-5999 - Fax +66 (0) 2-106-5998

CUSTOM HANINDO SINGAPORE 16 Jalan Kilang Timor #03-02 Redhill Forum **Singapore**, 159308, SINGAPORE Tel. +65 6908 0281 - Fax +65 6274 2103

Africa

CUSTOM SOUTH AFRICA Unit 13 Meadowbrook Business Park Jacaranda Street **Olivedale**, Randburg SOUTH AFRICA Tel. 011-462-0984 / 0426 Fax 0866 104 182